



-	1	(speculative with fifo) same (reload or unload)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 17:34
-	261	(reload or unload) with fifo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 17:35
-	46	reload with fifo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 17:35
-	1	(reload with fifo).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 17:36
-	5	pushback with (memor\$4 or buffer\$5 or queue\$5 or fifo)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 17:43
-	180	pushback	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 17:43
-	807	reload near5 (fifo or queue or buffer or memor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:21
-	139	(reload near5 (fifo or queue or buffer or memor\$3)).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:14
-	24	reload near5 fifo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:14
-	1	(reload near5 (fifo or queue or buffer or memor\$3)) with pushback	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:18
-	101	reload near5 (fifo or queue or buffer or memor\$3) with (start\$5 or begin\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:34
-	5	(reload near5 (fifo or queue or buffer or memor\$3) with (start\$5 or begin\$5)).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:56
-	476	restor\$5 near5 (fifo or queue or buffer or memor\$3) with (start\$5 or begin\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:35
-	7	restor\$5 near5 fifo with (start\$5 or begin\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:48

-	2	error adj correction with (fifo or memor\$5 or queu\$5 or buffer\$5) with (reload\$5 or restor\$5) with (start\$5 or begin\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 13:50
-	66	(reload\$5 or restor\$5 or recover\$5) with (fifo or queu\$5 or memor\$5 or buffer\$5) with (unintentional\$4 or accidental\$4 or mistak\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 14:46
-	2197	(reload\$5 or restor\$5 or recover\$5) with (fifo or queu\$5 or memor\$5 or buffer\$5) with (begin\$5 or start\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 14:51
-	2	((reload\$5 or restor\$5 or recover\$5) with (fifo or queu\$5 or memor\$5 or buffer\$5) with (begin\$5 or start\$5)) with unload\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 14:48
-	554	((reload\$5 or restor\$5 or recover\$5) with (fifo or queu\$5 or memor\$5 or buffer\$5) with (begin\$5 or start\$5)).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 14:52
-	32	((reload\$5 or restor\$5 or recover\$5) with (fifo or queu\$5 or memor\$5 or buffer\$5) with (begin\$5 or start\$5)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 14:55
-	532	((reload\$5 or restor\$5 or recover\$5) with (fifo or queu\$5 or memor\$5 or buffer\$5) with (begin\$5 or start\$5)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 14:55